

FOCUS ON QUALITY
YOUR LIFT EXPERT



CATALOGUE APRIL 2022

ELEVATOR LIGHT CURTAIN

Elevator Light Curtain B 71

Elevator Light Curtain
SIX230 71





ELEVATOR LIGHT CURTAIN B

BENEFITS: • slim 9 mm profile • very cost-effective

DETAILS: • Light curtain pair consisting of: Sender and receiver • 94 beams • 17 diodes • Measures: 2,000 x 38 x 9 mm • Active protection height: 20–1,841 mm • Auto masking range: 1,500–1,841mm • Detecting range: 0–3,000 mm (max. 5,000 mm) •

Ambient light 100,000 LUX • Supply voltage 230V AC or 24V DC • Incl. power supply unit, cable kit, fixing material and instructions

OPTIONAL:
• Universal fixing kit for various door types



| Item No. | Description |
|-------------|----------------------------------|
| 09702000008 | Elevator light curtain B 230 AC |
| 09702000009 | Elevator light curtain B 24 V DC |

ACCESSORIES


| | |
|-------------|---|
| 09701000009 | Universal fixing kit for various door types |
| 09702000100 | Elevator light curtain power supply unit 230V |
| 09702000101 | Elevator light curtain power supply unit 24V DC |

ELEVATOR LIGHT CURTAIN SIX230

BENEFITS: • Ultra slim 6.6 mm profile • 32 diodes producing 154 beams • Automatic learning (auto masking) - the light curtain recognises obstacles automatically and ignores them • All in just three seconds • Automatic stand-by mode. The light curtain puts itself in stand-by mode after 15 seconds to save energy and extend the service life of the sensors

DETAILS: • Light curtain pair consisting of: Sender and receiver • 174 beams • 36 diodes • Measures: 2,000 x 30 x 6,6 mm • Active protection height: 20–1,665 mm • Detecting range: 0–4,000 mm • Ambient light 100,000 LUX • Supply voltage 230V AC • Incl. power supply unit, cable kit, fixing material and instructions

OPTIONAL: Universal fixing kit for various door types



| Item No. | Description |
|-------------|---------------------------------|
| 09703000008 | Elevator light curtain SIX 230V |

ACCESSORIES

| | |
|-------------|---|
| 09701000009 | Universal fixing kit for various door types |
|-------------|---|



Stingl Systems GmbH
Dimbacher Strasse 25
D-74182 Obersulm-Willsbach
Germany

Phone +49 (0) 7134 / 13797-13
Fax +49 (0) 7134 / 13797-11

www.stinglonline.de
export@stinglonline.de
<https://shop.stinglonline.de>